

Panasonic

MEVIX

360 degree camera speakerphone

TY-CSP1

Transcending the boundaries of real and online

— A hybrid conference where everyone takes the lead —



PressIT 360

360 degree camera speakerphone

 Certified for
Microsoft Teams

 Certified



PressIT360

PressIT360 is the all-in-one web conference system with high-performance 360-degree camera, mic and speakers, supporting a hybrid working environment that connects online and offline.

Certified for
Microsoft Teams

zoom Certified



Start Web Conferences Simply By Connecting a USB Cable to the PC

Simply connect the camera, microphone, and speakers in one unit to a computer with a USB Type-C (USB-C) cable. No equipment preparation or configuration is required, allowing meetings to be started smoothly.



1. Bring into the conference room



2. Connect to a PC using USB-C



3. Start web conference

High-quality images from a high-performance 360-degree camera

Four high-performance cameras provide 360-degree immersive images



360-degree orientation microphone and speaker

Covers a 360-degree radius up to 5m/16.4ft for clear sound collection



6 Performance may not be as expected depending on the online conferencing application used, Internet connection environment.

Choose from a variety of video display modes to match your conference environment

Detects voices and human figures to automatically focus on the person speaking

The green LED gradation changes in the direction of the speaker's voice.



1 Some modes do not work.



Dual view 360-degree view of the room and focus on up to two people speaking.




Single view Focus on the person speaking in the conference room.



Multi view Focused display of up to four people speaking. A green bar is displayed above the speaker screen.



Surround view 360-degree overall display divided to two 180-degree screens.




Stable View Displays images with a fixed position as a Web camera.

Focus on the person speaking is automatically optimized according to the volume of speech and the length of the utterance. Focus may be delayed or not performed depending on the situation.

[Display Angle Settings] Function **NEW**

This new function allows you to switch the camera angle to 360°, 270°, and 180°. By setting the display range, only the necessary video is clearly shown, enabling effective presentations.



2 Display Angle Settings function must be configured using PressIT360 application. 3 People outside the camera angle are not recognized. 4 Applied to each video mode: Dual View / Multi View / Surround View / Single View 5 Support for the Display Angle Settings function requires: Main unit software: 0.0.7904.92 or later. App (Windows): 1.4.2047.56 or later, (Mac): 1.4.2034.40 or later

Without PressIT360

Separate devices take time to connect and setup
Complicated setup and operation



With PressIT360

Just connect to a PC using USB Type-C cable⁷
Volume setting and video mode switching at the push of a button



7 When connected to a USB Type-C port on a PC capable of supplying 5V/3A of power. Volume is limited when using only USB Type-C to USB Type-C cable compared to using an AC adapter.

PressIT360

Other functions and features

Certification for Web Conferencing Systems Microsoft Teams and Zoom



PressIT360 has obtained certification for Microsoft Teams, the collaboration platform provided by Microsoft Corporation, and Zoom, provided by Zoom Communications, Inc.

With image quality and sound quality optimized for each platform to naturally convey the atmosphere of the meeting room, PressIT360 enhances communication in web conferences.

1 Surround View and Stable View are not recommended for use with Microsoft Teams Rooms.

2 Support for the Zoom function requires: Main unit software: 0.0.7904.92 or later App (Windows): 1.4.2047.56 or later, (Mac): 1.4.2034.40 or later

LEDs indicate operating status



Normal
(camera and mic on)



When camera is off



When mic is muted



Mute

Volume

Mode change
button



Security slot



Tripod fixing screw hole
Screw: 1/4-20UNC

Advanced settings via PC using application



By installing the built-in application² on your PC, you can make more detailed settings.

- Display of camera image
- Video control³ (zoom in/out, tilt up/down, pan left/right)
- Image quality adjustment
- Speaker operation test
- Firmware update and version confirmation

3 Supported operating systems for the PC application are Microsoft Windows (Windows 10/11) and macOS.

4 Adjustment of the camera images and the zoom in and zoom out features work only on the camera image screen of this application. Some modes may not work.

Specifications

Model No.	TY-CSP1	Speaker out	1.5 W(When supplying power from USB Type-C) or 3 W(When AC adaptor is connected)
Product name	360 degree camera speakerphone	Connection terminals	USB Type-C(USB2.0) , DC plug
Imaging element	1/2.7" 5MP CMOS	Power supply	USB Type-C(5 V/3 A) or AC adaptor DC 12 V/2 A
Field of view	360(H)×60(V)	Power consumption (when outputting video)	11W
F number of the lens	2.5	Dimensions (Diameter x Height)	φ 64 mm x 285 mm / 2.52" x 11.23" (Operation baseφ100 mm / 3.94")
Lens TTL	14.7mm	Mass	950g/2.1 lbs.
Microphone	MEMS Microphone array	Security slot	Noble Wedge (with mounting surfaces of 11 mm φ or less.)
Number of microphones	7	Operating condition	Temperature:0°C to 40°C / 32°F to 104°F Humidity:20% to 80%(no condensation)
Beam forming	Supported	Usable altitude range	0 m to 2800 m / 0 ft to 9186 ft
Microphone sensitivity	-35dBFS		
S/N ratio	68.75dBA		
Noise Cancellation	AEC / AGC / DNR / Keyboard Noise Suppression		

Conference solution product

wireless presentation system

PressIT

PressIT is a wireless presentation system that enables easy sharing of a presenter's material. Share your screen from your computer or tablet.



PressIT Basic set

- Receiver (Box)
- Transmitter (HD/MI/USB-A, or USB-C)x2
- Transmitter case

Panasonic

Trademark Credits

- Weights and dimensions shown are approximate. Specifications and appearance are subject to change without notice. "Panasonic" is a registered trademark of Panasonic Holdings Corporation and is used under license from Panasonic Holdings Corporation.
 - PressIT360 and PressIT are a trademark of Panasonic Holdings Corporation.
 - USB Type-C and USB-C are trademarks or registered trademarks of USB Implementers Forum.
 - Microsoft® and Microsoft Teams and Windows® are either registered trademarks or trademarks of Microsoft Corporation in the United States and other countries.
 - Zoom and the Zoom logo are trademarks or registered trademarks of Zoom Video Communications, Inc.
 - macOS is a registered trademark of Apple Inc., in the United States and other countries. Even if no special notation has been made of company or product trademarks, these trademarks have been fully respected.
- Product specifications and designs are subject to change without notice.
© Panasonic Projector & Display Corporation 2026. All rights reserved.



Prodisplay Global Website – panasonic.net/cns/prodisplays
YouTube – www.youtube.com/PanasonicProDisplay
Facebook – www.facebook.com/panasonicprojector

Note: Following the shift of the Panasonic Group to a holding company system, the Connected Solutions Company of the Panasonic Corporation has changed to Panasonic Connect Co., Ltd. as of April 1, 2022.

All information included here is valid as of April 2026.

CT26-G02-PF-CSP1 Printed in Japan.