# DOCKING STATION FOR PANASONIC TOUGHBOOK® G2

This vehicle docking station is Panasonic TOUGHBOOK® Certified, engineered for maximum user convenience and confidence, dedicated to operate with the Panasonic TOUGHBOOK® G2 tablet computer using latest materials and technologies. Manufactured from high grade aluminum ensures the smallest possible footprint inside a vehicle to offer maximum safety, comfort and use of cabin space for the vehicle operator.

## FEATURES

- CNC machined aluminum construction for ultimate rugged performance
- Genuine Panasonic electronics for maximum reliability
- Floating connector pin design for maximum connectivity responsiveness
- Gigabit Ethernet VLAN
- 2 x USB 3.2 5Gbps Type A (rear)
- 2 x USB 2.0 Type A (rear)
- 2 x USB 2.0 Type A (front)
- Dual HDMI video outputs
- Optional Dual RF Pass-Through with SMA connectors
- Ergonomic design for safety and usability
- Universal VESA 75 mounting pattern
- Low profile footprint for increased usable cabin space
- Key lockable for added theft deterrence
- Top facing ports with integrated cable management
- One handed operation
- Slots for device cooling fan ventilation
- Compatible with Panasonic TOUGHBOOK® G2 tablets
- 3 year limited warranty

## TESTING/CERTIFICATIONS

- Panasonic TOUGHBOOK® Certified
- MIL-STD-810-G: CHG1
- Vibration & Shock
- Cycle – Latch/Unlatch 30,000 cycles
- Shock-Crash Test - Simulated 30mph sled crash test
- Environmental
- FCC, CE, UKCA, RoHS

# DOCKING STATION FOR PANASONIC TOUGHBOOK® G2 PART NUMBERS AND TECHNICAL SPECIFICATIONS

## ITEM NUMBERS

PCPE-PMTG201  - PMT FZ-G2 VEHICLE DOCK WITHOUT DUAL PASS THROUGH
PCPE-PMTG202  - PMT FZ-G2 VEHICLE DOCK WITH DUAL PASS THROUGH
PCPE-PMTG203  - PMT FZ-G2 VEHICLE DOCK CRADLE (NO ELECTRONICS)

## PORT REPLICATION*

| | |
|---|---|
| 1 x RJ45 Ethernet (Gigabit) VLAN | 2 x HDMI |
| 2 x USB 3.2 5Gbps Type A (rear) | 1 x RS-232 (Serial) |
| 2 x USB 2.0 Type A (rear) | 15 VDC Input |
| 2 x USB 2.0 Type A (front) | 2 x RF Pass-Through (SMA)* |

*Optional

| WEIGHT | HEIGHT | WIDTH | DEPTH |
|---|---|---|---|
| 4.60 – 4.95 lbs | 8.99" | 11.20" | 3.79" |



15 VDC Input
2 x USB 3.2 5Gbps Type A
Dual HDMI
2 x RF Pass-Through (SMA)*
RJ45 Ethernet (Gigabit) VLAN
2 x USB 2.0 Type A
RS232 Serial
2 x USB 2.0 Type A