Data Act Notice - Panasonic Media Processor (FMP series)

Panasonic is committed to ensuring that any data generated by our connected products and related services is used fairly, lawfully, and securely. We place high importance on compliance with Regulation (EU) 2023/2854 (the "Data Act")

This Notice is intended to tell Users which data can be generated by the products we sell and our related services. Where we are Data Holder under the Data Act for data generated by our products or related services, we will also tell you how we use such data, what rights and obligations users have for such Data, how users can get access to such Data and where to go in case of complaints. You will also find contact information for any questions related to data handling.

This Notice must be read jointly with, and is without prejudice to, the applicable data privacy notice, which shall prevail over this Notice as concerns personal data.

DATA GENERATED BY OUR PRODUCTS

Our products and services can generate data on an ongoing data, please see information below. Such product data can be accessed and used for diagnostics purposes in case a product is handed over for service and maintenance. Where we access such data for diagnostic purposes, the data will not be exported or used for other purposes and will be deleted after the diagnostic is done.

The overview of the data generated on your use of the Product(s) is set out below.

| Which data are being collected | Format and expected data | Collection Frequency | Storage | Duration of retention | How can it be accessed? | How the user may erase the |
|--------------------------------|--------------------------|-------------------------|----------------|-----------------------|-------------------------|----------------------------|
| | volume | | | | | data |
| Status | Format:JSON | Logged when | Internal | Power-on | Accessible only on | Not applicable |
| information | < 1 kbyte per | event occurs | Storage of the | data retention | the device as | |
| (power | session | | device | | follows: Accessible | |
| information), | | | | | via Web UI display . | |
| number/string | | | | | | |
| adjustment | Format:JSON | Logged when | Internal | Indefinite | Accessible only on | The user can |
| information, | < 10 kbyte | event occurs | Storage of the | | the device as | erase it from |
| numeric | per session | | device | | follows: Accessible | the operating |
| | | | | | via Web UI display . | menu. |
| Playlists, | Format:XML | Logged when | Internal | Indefinite | Accessible only on | The user can |
| schedule files | < 5 kbyte per | event occurs | Storage of the | | the device as | erase it from |
| | session | | device | | follows: Accessible | the operating |
| | | | | | via Web UI display . | menu. |

Panasonic is the initial seller of the connected product. If the connected product is (re)sold, leased, or rented, it will be up to each reseller, sub-lessor or sub-rentor to comply with the pre-contractual information obligation outlined in Article 3(2) of the Data Act. The reseller, sub-lessor or sub-rentor must provide a copy of the information contained in this Notice to the repurchaser, sub-lessee or sub-rentee.

CONTACT

For any questions regarding the handling of data, request access to the data or technical issues with access, please contact us at:

DataAct@eu.panasonic.com

You can also contact our EU representative at

Panasonic Europe B.V. Germany Branch Hagenauerstrasse 43 D-65203 Wiesbaden Germany

Annex: DATA LIST

| Which data are being collected | Format and expected data volume | Collection Frequency | Storage | Duration of retention | How can it be accessed? | How the user may erase the |
|--------------------------------|---------------------------------|-------------------------|------------|-----------------------|----------------------------|----------------------------|
| | | | | | | data |
| temperature | Format:JSON < | Regularly | Not | Power-on | Accessible only on the | Not |
| information, numeric | 1 kbyte per | Retrieved | stored | data | device as follows: | applicable |
| | session | | | retention | Accessible via Web UI | |
| | | | | | display and command | |
| | | | | | communication. | |
| barometric pressure | Format:JSON < | Regularly | Not | Power-on | Accessible only on the | Not |
| information, numerical | 1 kbyte per | Retrieved | stored | data | device as follows: | applicable |
| values | session | | | retention | Accessible via Web UI | |
| | | | | | display and command | |
| | | | | | communication. | |
| angular information, | Format:JSON < | Regularly | Not | Power-on | Accessible only on the | Not |
| numeric | 1 kbyte per | Retrieved | stored | data | device as follows: | applicable |
| | session | | | retention | Accessible via Web UI | |
| | | | | | display and command | |
| | | | | | communication. | |
| AC voltage information, | Format:JSON < | Regularly | Not | Power-on | Accessible only on the | Not |
| numeric value | 1 kbyte per | Retrieved | stored | data | device as follows: | applicable |
| | session | | | retention | Accesible via Web UI | |
| | | | | | display and command | |
| | | | | | communication. | |
| luminance log, string | Format:JSON < | Logged | Internal | Indefinite | N/A (not readily available | Not |
| | 10 kbyte per | when event | Storage of | | data) | applicable |
| | session | occurs | the device | | | |
| system log, string | Format:JSON < | Logged | Internal | Indefinite | N/A (not readily available | Not |
| | 10 kbyte per | when event | Storage of | | data) | applicable |
| 1 | session | occurs | the device | | | |
| ID info, number/string | Format:JSON < | Logged | Internal | Indefinite | Accessible only on the | Factory |
| | 1 kbyte per | when event | Storage of | | device as follows: | reset by |
| | session | occurs | the device | | Accesible via Web UI | user |
| | | | | | display and command | initialization |
| | | | | | communication. | |
| network information, | Format:JSON < | Logged | Internal | Indefinite | Accessible only on the | Factory |
| numeric | 1 kbyte per | when event | Storage of | | device as follows: | reset by |
| | session | occurs | the device | | Accesible via Web UI | user |
| | | | | | display and command | initialization |
| | | | | | communication. | |