



17.8cm / 7" LCD color viewfinder

AK-HVF70G

The AK-HVF70E is a 17,8cm (7") LCD color viewfinder with light weight, low power consumption and a high resolution plus versatile assist functions like focus-in-red and pixel-to-pixel. By direct connect functionality no separate cable is necessary to connect the VF to the studio camera.

Key Features

Resolution: 1024 x 600 (WSVGA)

Three assignable function keys

Focus assist functions (focus-in-red, pixel-to-pixel)

Tilt angle: 90° upward and 60° downward

Weight: 1,8kg

AK-HVF70G

<https://eu.connect.panasonic.com/tr/en/broadcast-proav/accessories/ak-hvf70g>

General -> Power Supply	DC 12 V (supplied from camera)
General -> Power Consumption	10 W
General -> Operating Temperature	0 °C to 45 °C (32 °F to 113 °F)
General -> Operating Humidity	10% - 85% (no condensation)
General -> Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
General -> Weight	Approx. 1.6 kg (3.53 lbs.) (not including hood)
General -> Dimensions	W 243.5 mm x H 212 mm x D 172 mm
	(9-19/32 inches x 8-11/32 inches x 6-25/32 inches)
	(with hood attached)
	W 243.5 mm x H 212 mm x D 85 mm
	(9-19/32 inches x 8-11/32 inches x 3-11/32 inches)
	(without hood)
Display Panel -> Dimensions	177.8 mm (7.0 inches)
Display Panel -> Number of Pixels	1024 x 600 (WSVGA)
Display Panel -> Display Color	Approx. 16,2 million colors
Switch Functions and Connectors -> Operation	<POWER> switch, <MENU> button, <SELECT> dial button, <F1>/<F2>/<F3> buttons, <BRIGHT> knob, <CONTRAST> knob, <PEAKING> knob
Switch Functions/Connectors -> Connector	Camera I/F connector (D-sub 29 pins x 1)

